



31257 ACTA 6-screw Crusher with reverse hopper



Specifications

Weight	17.500 kg
Hopper inlet dim.	4250x2000mm.
Hopper volume. approx.	10 m ³
Outlet capacity All outlet capacities are approximated and depends on working conditions and type of material to be processed. Please contact sales for ACTA for more exact information.	10-15 ton/hour
Screw speed	Approx. 12 rpm
Motor power	6 x 18,5kW
Electrical conn.	3x400 V - 50 Hz
Prefuse (App.)	600 Amp

Additional Information:

Applied steel in product:	Carbon steel
House:	Bin
Industry:	Gypsum handling, Recycling
Product type:	ACTA crusher
Surface treatment:	Carbon steel – painted, Carbon steel – primed
Transported material:	Gypsum



31257 ACTA 6-screw Crusher with reverse hopper



Short Description

31257-AR730516 – ACTA 6-screw Crusher with reverse filler hopper (loading from output side) + floorstand. Used for gypsum recycling

Features:

- Special floorframe made, by requirements from the customer.
- Reverse filler hopper, for loading of material from output side, rather than from gearside.
- Equipped with 9 fingers rotation knife + 1 fixed knife (changeable) (most common used for Gypsum waste)
- Reliable gear and motor setup from SEW.
- All primed and painted in RAL 1015
- Packed and shipped in a container for transport across the world to New Zealand.